

XINXING has a history of 30 years in manufacturing engineering plastic products. Our main fuction is high quality, temporary plastic ground protection solutions.

XINXING ground mats are suitable across a wide spectrum of industries including:

Construction / civil engineering / military / drilling / landscaping / sports field maintenance / events / holiday home parks / heritage sites and more.

1. Quick event Mat

(Virgin Hdpe extruded ground mat)

Item No.	Size (mm)	Thickness with texture (mm)	Weight (kg)	Effective area(m2)	Loading capacity(ton)	Loading container & calculate
XE01	2400 x 1200 x 12.7	22.7	40	2.88	40	380 pcs in 20'GP 580 pcs in 40'GP
XE02	2440 x 1220 x 12.7	22.7	42	2.98	40	360 pcs in 20'GP 550 pcs in 40'GP
XE04	2000 x 1000 x 10	20	22.6	2.00	30	590 pcs in 20'GP 1150 pcs in 40'GP
XE05	2900 x 1100 x 12.7	22.7	45	3.20	40	400 pcs in 20'GP 580 pcs in 40'GP
XE06	3000 x 1500 x 15	25	74	4.50	80	320 pcs in 40'GP

Remark:

- Material : Virgin HDPE (high-density polyethylene)
- For wheeled vehicle
- Recommend thickness: 10 mm,12.7mm 14mm,15 mm,18 mm,20 mm and 25mm.
- Colour: white, black, red, yellow, blue and etc
- Pattern thickness on every side is 5 mm for ABC, 8mm for D and E .
- Pattern Choice: AA,AB,AC,BC, DD,EE

Surface



A. Walkway



B. Trackway



C. Flat






D.Trackway



E. NEW Hexagonal pattern
D and E thick min 14mm

Product pictures:



2. BaseMat

(Virgin Hdpe extruded ground mat)

Item No.	Size (mm)	Thickness with texture (mm)	Weight (kg)	Effective area (m2)	Loading capacity (ton)	Loading container & calculate
XE03	5900 x 2000 x 28	38	345	11.8	120	76 pcs in 40'HQ

Remark

- Material: Virgin HDPE (high-density polyethylene- Для колесных автомобилей
- Color: black
- Pattern thickness on every side is 5 mm,or 8mm. ;
- The length and width also can cut to size . this mats popular in Russian.

Surface



Products Pictures



lock together



3. DuraMat

(Composite pressed ground mat)

Item No.	Size (mm)	Thickness with texture (mm)	Weight (kg)	Effective area (m2)	Loading capacity (ton)	Loading container & calculate
XP01	3000 x 2500 x 38	48	293	7.5	120	82 pcs in 40'GP
XP02	4500 x 2000 x 38	48	351	9.0	120	70 pcs in 40'GP
XP03	3000 x 2500 x 25	34	195	7.5	120	126 pcs in 40'GP

Remark:

- Material: composite Uhmwpe (Ultrahigh molecular weight polyethylene)
- For tracked vehicle
- Standard colour - black, other colors can be customized by order quantity.

Products Pictures





4 AmphiMat

(Special hollow heavy duty ground mat)

Item No.	Size (mm)	Thickness with texture (mm)	Weight (kg)	Effective area (m2)	Loading capacity (ton)	Loading container & calculate
AmphiMat	5980 x 2180 x 80	88	620	12.0	120	42pcs in 40'HQ
Remark : - Material: composite polyethylene - For all type vehicle - Color: black						

Product Pictures



5 CraneMat

(Uhmwpe crane outrigger pads)

Abosn CraneMat can be used not only as crane leg pads, but also the trailer plates, sleeper of heavy machinery track mats of heavy trucks. The pads are strong and solid designed to support your crane.

Products Pictures

